

Eaton UTG61412SN

Catalog Number: UTG61412SN

Female plug, IP65; UTG61412SN

General specifications

Product Name	Catalog Number
Eaton Souriau UTG series metal and plastic connector for heavy use	UTG61412SN
	Product Length/Depth
	23.9 mm
Product Height	Product Width
34.5 mm	34.5 mm
Product Weight	
26 g	

Product specifications

Shell size

14

Operating temperature - max

105 °C

Plug type

Straight Plug

Coupling type

1/3 Bayonet

Insert material

Polyamide

Contact delivery

Not delivered

Contact type

Crimp

Degree of protection

IP65

Number Of Poles

12-pole

Salt spray

48 hour

Connector accessory option

Not delivered, to be ordered separately

Operating temperature - min

-40 °C

Fitted with:

First mate last break capability(optional)

Last mate first break capability(optional)

Layout

12

Environmental conditions

RoHS

REACH

Flammability rating UL94 V0

Connector type

Plug

Number of cavity #16

Resources

Drawings

[bsa201458004.pdf](#)

12

Plating

Nickel

Contact gender

Socket (Female)

Mating cycles

500

Shell material

Metal & Plastic



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)