
THIS DOCUMENT CONTAINS DATA PROPRIETARY TO PROJECTS UNLIMITED, INC. ANY USE OR REPRODUCTION, IN ANY FORM, WITHOUT PRIOR WRITTEN PERMISSION OF PROJECTS UNLIMITED, INC. IS PROHEITED.

© 2005, Projecte Unlimited Inc.

SPECIFICATIONS

·		
PARAMETERS	VALUES	UNITS
RATED INPUT POWER	0.5	W
MAX INPUT POWER	1	W
IMPEDANCE	8±15%	ОНМ
OUTPUT SPL @ 0.5W/0.5M (AT 0.8, 1.0, 1.2, 1.5, kHz)	85±2	dBA
DISTORTION (MAX.)	5%	-
RESONANT FREQUENCY	600±20%	Hz
FREQUENCY RANGE	600 ~ 20000	Hz
HOUSING MATERIAL	METAL	-
CONE MATERIAL	MYLAR	-
MAGNET MATERIAL	Nd-Fe-B	-
OPERATING TEMPERATURE	-20 ~ +60	င္
WEIGHT	7.2	arams



-	- 4.4±0.3
	16±0.3

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS,TOLERANCES ARE ±0.5 AND ANGLES ARE ±3".

DATE

11/06

11/06

11/06

APPROVALS

CHECKED

J.D.

D.F.

R.W.

DO NOT SCALE DRAWING

REVISIONS

DATE

11/15/06

APPROVED

DESCRIPTION

RELEASED FROM ENGINEERING

LTR

NOTES:

- 1. ALL DIMENSIONS ARE IN MILLIMETERS.
- 2. SPECIFICATION SUBJECT TO CHANGE OR WITHDRAWAL WITHOUT NOTICE.
- 3. THIS PART IS RoHS 2002/95/EC COMPLIANT.

AS02808MR-2-R.DWG

SPEAKER

Dayton , Ohio

AS02808MR-2-R

projects • unlimited

SCALE: N.T.S. SHEET 1 OF