## **Product specifications**

# Eaton 20LCT

# Catalog Number: 20LCT

Eaton Bussmann series high speed British standard fuse, 20A, 240 VAC/150 VDC (IEC), 250 VAC/150 VDC (UL), Class aR, Breaking capacity 200 kA RMS Sym., 50 kA DC at 150 VDC

## General specifications

**Product Name** 

Eaton Bussmann series high speed

British standard fuse

**UPC** 

20LCT

051712832427

Catalog Number

EAN

5027590467957

**Product Height** 

9 mm

**Product Weight** 

5.8 g

Compliances

**CE Marked** 

**RoHS Compliant** 

Product Length/Depth

47 mm

**Product Width** 

9 mm

Warranty

Not Applicable

Certifications

**IEC Rated** 

**UL** Recognized

Designed and tested to BS88 part 4

UL recognized IEC 60269-4

CCC



## Electrical data

**Amperage Rating** 

20 A

Voltage rating

240 Vac, 150 Vdc

Rated voltage AC

240 V

Rated voltage DC

150 V

Interrupt rating

200 kA RMS Sym, 50 kA DC at 150 Vdc

Class

Class aR

Pre arc (I2T)

25

Clearing (I2T)

160

Watt losses

4 W

## **Product specifications**

#### Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

#### Fuse indicator

None

## Compatble Trip indicator/Microswitch

#### Suitable for

TI250 Fuse indicator

MAI Microswitch/adaptor

MBI Microswitch/adaptor

## Resources

## Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

## Certification reports

DA-DC-00004685

DA-DC-00004682

## Compliance information

UKCA Low voltage fuse-links \*AET,\*AEET,\*AFEE etc

## Specifications and datasheets

Eaton Specification Sheet - 20LCT

#### Technical data sheets

720004 LCT, LET, LMMT, LMT



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia