

Eaton 32LET

Catalog Number: 32LET

Eaton Bussmann series high speed British standard fuse, 32A, 280 VAC/150 VDC (UL), Class aR, 200 kA RMS Sym.

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed British standard fuse	32LET
	UPC
	051712833929
EAN	Product Length/Depth
5027590476713	55 mm
Product Height	Product Width
18 mm	18 mm
Product Weight	Warranty
31.4 g	Not Applicable
Compliances	Certifications
CE Marked	IEC Rated
RoHS Compliant	UL Recognized
	Designed and tested to BS88 part 4
	IEC 60269-4

Electrical data

Amperage Rating

32 A

Voltage rating

280 V

Rated voltage AC

280 V

Rated voltage DC

150 V

Interrupt rating

200 kAIC

200 kA RMS Sym, 50 kA DC at 150 Vdc

Class

Class aR

Pre arc (I2T)

32

Clearing (I2T)

450

Watt losses

5 W

Product specifications

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Fuse indicator

None

Compatible Trip indicator/Microswitch

Suitable for

TI500 Fuse indicator

MAI Microswitch/adaptor

MBI Microswitch/adaptor

Resources

Catalogs

[IEC high speed fuse links](#)

[Bussmann series complete full line catalog no. 1007](#)

Certification reports

[DA-DC-00004685](#)

[DA-DC-00004682](#)

Compliance information

[UKCA Low voltage fuse-links *AET,*AEET,*AFEE etc](#)

Specifications and datasheets

[Eaton Specification Sheet - 32LET](#)

Technical data sheets

[720004 LCT, LET, LMMT, LMT](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)