Product specifications

Eaton 50LET

Catalog Number: 50LET

Eaton Bussmann series high speed British standard fuse, 50A, 280 VAC/150 VDC (UL), Class aR, Breaking capacity 200 kA RMS Sym., 50 kA DC at 150 VDC

General specifications

Product Name

Eaton Bussmann series high speed

British standard fuse

UPC

50LET

051712835671

Catalog Number

EAN Product Length/Depth

5027590483056 55 mm

Product Height Product Width

18 mm 18 mm

Product Weight Warranty

31.4 g Not Applicable

Compliances Certifications
CE Marked IEC Rated
RoHS Compliant UL Recognized

Designed and tested to BS88 part 4

IEC 60269-4



Electrical data

Amperage Rating

50 A

Voltage rating

280 V

Rated voltage AC

280 V

Rated voltage DC

150 V

Interrupt rating

200 kA RMS Sym, 50 kA DC at 150 Vdc

Class

Class aR

Pre arc (I2T)

100

Clearing (I2T)

1400

Watt losses

7 W

Product specifications

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Fuse indicator

None

Compatble Trip indicator/Microswitch

Suitable for

TI500 Fuse indicator

MAI Microswitch/adaptor

MBI Microswitch/adaptor

Resources

Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Certification reports

DA-DC-00004685

DA-DC-00004682

Compliance information

UKCA Low voltage fuse-links *AET,*AEET,*AFEE etc

Specifications and datasheets

Eaton Specification Sheet - 50LET

Technical data sheets

720004 LCT, LET, LMMT, LMT



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia