

Eaton NSD20

Catalog Number: NSD20

Fuse-link, LV, 20 A, AC 550 V, BS88/F1, 14 x 59 mm, gL/gG, BS

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage British standard fuse	NSD20
	UPC
	051712840286
EAN	Product Length/Depth
5027590504812	58.5 mm
Product Height	Product Width
13.8 mm	13.8 mm
Product Weight	Warranty
16.2 g	Not Applicable
Compliances	
RoHS Compliant	



Electrical rating

Amperage Rating

20 A

Breaking capacity

80 kA

Interrupt rating

80 kAIC

Rated switching capacity

80 kA

Voltage rating

550 V

Voltage type

AC

Physical details

Color

None

Fuse type

NSD

General information

Class

Class gG/gL

Connection

Blade end

Construction size

F1

Fitted with:

Offset bladed tags

Fuse indicator

None

Fuse shape

Offset bladed tags

Fuse size

BS88/F1

Insulated metal gripping lugs (IMGL)

No

Utilization category

gL/gG (cable protection/equipment protection)

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Compliance information

UKCA NSDx, NSD20Mx, NSD32Mx

CE NSDx, NSD20Mx, NSD32Mx

Specifications and datasheets

Eaton Specification Sheet - NSD20

Technical data sheets



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)