# Eaton FWP-40A14F

## Catalog Number: FWP-40A14F

Eaton Bussmann series FWP high speed fuse, 700 Vac (UL), 700 Vdc (UL), 690 Vac (IEC), 40A, 200 kAIC at 700 Vac, 50 kAIC at 700 Vdc, Non Indicating, High speed fuse, Ferrule end X ferrule end, Class aR, White, Ceramic

#### General specifications

**Product Name** 

Eaton Bussmann series high speed

cylindrical fuse

Catalog Number

FWP-40A14F

Model Code

40A 700V AC FERRULE 14x51mm

**UPC** 

051712796507

Product Length/Depth

51 mm

**Product Width** 

15 mm

Warranty

Not Applicable

EAN

5027590420631

**Product Height** 

15 mm

**Product Weight** 

20.2 g

Compliances

CE Marked

**RoHS Compliant** 

Certifications

UL Recognized CSA Certified



### **Product specifications**

Interrupt rating

200 kAIC

Release characteristic

Other

Amperage Rating

40 A

Frequency rating - max

62 Hz

Fuse type

FWP-A14F

Accessories

CH14 Modular fuse holder

FW14-PCB

Minimum melting

84 I2t (A2 sec)

Fuse size

14 x 51 mm

Voltage rating

700 V

Fuse indicator

Non Indicating

Construction size

14 mm x 51 mm

Clearing (I2T)

750

Color

White

Connection

Ferrule end x ferrule end

Quantity

10

Material

Ceramic

Utilization category

#### Resources

#### Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Compliance information

CE FWC-\*A10F,FWH-\*A14F,FWP-\*A14F,FWP-\*A14FI etc

UKCA FWC-\*A10F,FWH-\*A14F,FWP-\*A14F,FWP-\*A14FI etc

Technical data sheets

720025 FWP

Watt losses 8 W
Type High speed fuse
Fuse shape Cylindrical
Used with Finger safe holders/blocks and striker
Breaking capacity 200 kA
Frequency rating - min 45 Hz
Class Class aR
Pre arc (I2T) 84
Application Semiconductor, DC Common bus, DC drives, Power converters/rectifiers
Voltage type AC/DC
Packaging type Standard



aR (accompanied semiconductor protection)

Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia