












Lötspitzen

für Lötpencil LR 21



Beschreibung	Breite	Modell	Best. Nr. für Standard-Lote	Best. Nr. für hochschmelzende Lote
Flachform 	0,8 mm	ET H	5 41 000 99	5 41 000 74
	1,6 mm	ET A	5 41 001 99	5 41 001 73
	2,4 mm	ET B	5 41 002 99	5 41 002 71
	3,2 mm	ET C	5 41 003 99	5 41 003 72
	4,6 mm	ET D	5 41 004 99	-
	5,6 mm	ET E	5 41 005 99	-
Langform 	1,2 mm	ET K	5 41 006 99	-
	2,0 mm	ET L	5 41 007 99	5 41 007 73
	3,2 mm	ET M	5 41 008 99	-
Rundform, stumpf 	0,8 mm	ET P	5 41 038 99	-
	2,4 mm	ET BS	5 41 009 99	-
	3,2 mm	ET CS	5 41 010 99	-
	5,0 mm	ET DS	5 41 011 99	-
Rundform, abgeschrägt 	0,8 mm	ET AA	5 41 031 99	-
	1,2 mm	ET F	5 41 012 99	-
	2,4 mm	ET BB	5 41 055 99	-
	3,2 mm	ET CC	5 41 013 99	-
Langform, konisch 	0,8 mm	ET O	5 41 014 99	-
	0,4 mm	ET S	5 41 017 99	-
Flachform 	1,6 mm	ET R	5 41 015 99	-
Flachform, leicht gebogen einseitig benetzbar 	3,2 mm	ET MX	5 41 016 99	-
Chip Löt-/Entlötlötspitze 	2,5 x 1,5 mm	ET SMD	5 41 039 99	-
	3,8 x 1,5 mm	ET SMD	5 41 040 99	-
Lötspitze für J-Leads 	-	ET JL	5 41 018 99	-
Lötspitze für Gullwings 	-	ET GW	5 41 045 99	-
ET Messspitze 	-	-	5 24 750 99	-