
Product datasheet

HALOSTAR STARLITE 50 W 12.0 V GY6.35

HALOSTAR STARLITE | Low-voltage halogen lamps with pin base




Product datasheet

Technical data

Photometrical data

Light color (designation)	Warm White
Luminous flux	910 lm

Dimensions & weight



Overall length	44.00 mm
Light center length (LCL)	30,0 mm
Product weight	2.2 g

Additional product data

Mercury-free	Yes
Predecessor EAN	4050300328201

Capabilities

Burning position	Any
------------------	-----

Certificates & standards

Energy efficiency class	G
Energy consumption	50.00 kWh/1000h

Country specific categorizations

ILCOS	HSGST/C/UB-50-12-GY6.35-12/30
-------	-------------------------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022

Product datasheet

Primary Article Identifier	4058075094277
Declaration No. in SCIP database	In work

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075094277	HALOSTAR STARLITE 50 W 12.0 V GY6.35	Shipping carton box 40 Pieces Folding carton box	144 mm x 107 mm x 121 mm	1.86 dm ³	209.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany