




Klemmsan®

304131 AVK 4

4mm², screw type, single deck feed through terminal block, Insulation material PA, Blue

General Product Information	Insulating material	PA
	Inflammability class acc. to UL 94	V2
	Packing Unit	100
	Weight (g)	
Dimensions	Width	6 mm
	Length	44.2 mm
	Height (MR 32)	— mm
	Height (MR 35x7.5)	44.5 mm
TSE / CE Technical Data	Nominal Voltage	750 V ~
	Nominal Current	32 A
	Cross Section	4 mm ²
	Norm	EN 60947-7-1
VDE Technical Data	Nominal Voltage	750 V ~
	Nominal Current	32 A
	Cross Section	4 mm ²
	VDE Norm	IEC 60947-7-1
UL / CSA Technical Data	Nominal Voltage	600 V ~
	Nominal Current	30 A
	Cross Section	AWG/26-10
ATEX Technical Data	Nominal Voltage	400 V ~
	Nominal Current	28 A
	Cross Section	4
Connection Data	Minimum solid strand cross section	0.5 mm ²

Maximum solid Strand cross section	6 mm ²
Minimum fine Strand cross section	1.5 mm ²
Maximum fine strand cross section	4 mm ²
AWG Conductor Range	26-10
Connection Type	screw/vidalı
Insulation Stripping length	10 mm
Tightening torque	0.5 Nm



Alçak Gerilim direktiflerine uygunluk belgesi - VDE Certificate

Türk Standartlarına Uygunluk Belgesi - TSE Certificate

Ukrayna Uygunluk Sertifikası - Ukrayna Uygunluk Sertifikası

Avrupa standartlarına uygunluk belgesi - CE Certificate

UL Sertifikası - UL Certificate

CSA - CE Certificate

Norveç onaylı denizcilik sektöründe kullanılabilirlik belgesi - DNV Certificate

Rusya Onaylı Denizcilik Sertifikası - Rusya Denizcilik Certificate

LAPEM - RETIE Sertifikası - LAPEM - Retie Certificate

LAPEM - RETIE Sertifikası - LAPEM - Retie Certificate

Order Info		
	304130	4mm2,screw type,single deck feed through terminal block,Insulation material PA,Grey
	304131	4mm2,screw type,single deck feed through terminal block,Insulation material PA,Blue
	304132	4mm2,screw type,single deck feed through terminal block,Insulation material PA,Green
	304133	4mm2,screw type,single deck feed through terminal block,Insulation material PA,Yellow
	304134	4mm2,screw type,single deck feed through terminal block,Insulation material PA,Red
	304139	4mm2,screw type,single deck feed through terminal block,Insulation material PA,Beige
	304135	4mm2,screw type,single deck feed through terminal block,Insulation material PA,Black
	304136	4mm2,screw type,single deck feed through terminal block,Insulation material PA,White



	304137	4mm2,screw type,single deck feed through terminal block,Insulation material PA,Orange
	304138	4mm2,screw type,single deck feed through terminal block,Insulation material PA,Brown