

SCREWDRIVERS

with special square pattern Bernstein handle

Blade: chrome vanadium, hardened over its full length, chrome-plated, with black tip

Handle: from impact-resistant, transparent, amber coloured plastic

Screwdrivers to DIN 5265

No.	Blade length mm	Blade width mm	Blade thickness mm	Handle size mm	Weight
4-141	75	3.5	0.6	86 x 19	35 g
4-142	100	4.0	0.8	92 x 21	46 g
4-143	125	5.5	1.0	100 x 23	75 g
4-144	150	6.5	1.2	110 x 25	105 g
4-145	150	8.0	1.2	110 x 25	140 g

Very long screwdrivers

4-222	260	3.0	0.5	92 x 21	50 g
4-223	260	4.5	1.0	92 x 21	70 g
4-224	300	5.5	1.2	100 x 23	108 g

Cross-recess screwdrivers

PH ⊕

No.	Size	Blade length mm	Blade-Ø mm	Handle size mm	Weight
4-255	0	60	3.0	86 x 19	25 g
4-256	1	80	4.5	92 x 21	49 g
4-257	2	100	6.0	100 x 23	78 g
4-258	3	150	8.0	110 x 25	140 g

Very long cross-recess screwdrivers

4-227	1	300	4.5	100 x 23	90 g
4-228	2	300	6.0	100 x 23	125 g
4-229	3	300	8.0	110 x 25	195 g

Cross-recess screwdrivers Pozidriv

PZ ⊕

4-271	0	60	3.0	86 x 19	25 g
4-272	1	80	4.5	92 x 21	49 g
4-273	2	100	6.0	100 x 23	78 g
4-274	3	150	8.0	110 x 25	140 g

TORX-screwdrivers

"L" with bore-hole in the tip

⚙️ ⚙️

No.	Size	Blade length mm	for metric thread	Handle size mm	Weight
6-961	T 6	50	M 2	86 x 19	32 g
6-962	T 7	50	M 2.5	86 x 19	32 g
6-963	T 8	60	M 2.5	86 x 19	34 g
6-964 L	T 9	60	M 3	92 x 21	44 g
6-965 L	T 10	80	M 3-3.5	92 x 21	46 g
6-966 L	T 15	80	M 3.5-4	92 x 21	46 g
6-967 L	T 20	100	M 4-5	100 x 23	60 g
6-968 L	T 25	100	M 4.5-5	100 x 23	65 g
6-969 L	T 27	115	M 4.5-5-6	110 x 25	85 g
6-971 L	T 30	115	M 6-7	110 x 25	95 g

Very long TORX-screwdrivers

6-974	T 8	100	M 2.5	86 x 19	37 g
6-975 L	T 10	300	M 3-3.5	92 x 21	65 g
6-976 L	T 15	300	M 3.5-4	92 x 21	70 g
6-977 L	T 20	300	M 4-5	100 x 23	80 g

4-850 7-piece screwdriver set

with special square pattern Bernstein handles
visible packed in a carton box

Contents: 4 screwdriver each to DIN 5265
No. 4-141, No. 4-142, No. 4-143, No. 4-144,
2 cross-recess screwdriver pozidriv
No. 4-271, No. 4-272
and 1 voltage tester No. 4-343 VDE

Weight: 470 g

