



Identification	Type	LCV-V8T-0867 DC 24 V
	Part-No.	700867

Technical data	
Function type	Plug adaptor
Protection device	Varistor + Capacitor
Nominal voltage	DC 24 V
Current Consumption per LED	4 mA
Shut-off points	≤100 V
Holding Capacity	50 VA

General	
Form	A (V8T)
Status Indication	LED green
Housing material	PA black / transparent
Protection class	IP 65
Field installation	pluggable on solenoid coil, plug seal not applicable
Operation temperature range	-20 °C – 60 °C
Storage temperature range	-25 °C – 80 °C
Dimensions (w × h × d)	29.5 × 41.5 × 45.0 mm
Weight (kg/piece)	0.010
Standards	EN 175301-803 (DIN 43 650), ISO 4400

10.08.2014 – Subject to technical modification

Part-No. 700867

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
 Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
 www.lutze.com • info@lutze.com


United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
 Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
 Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
 www.lutze.com • sales.gb@lutze.co.uk




SYSTEMATIC TECHNOLOGY


Dimensions



PIN assignment



Contact arrangement



10.08.2014 – Subject to technical modification

Part-No. 700867

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA

Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223

www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park

Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU

Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2

www.lutze.com • sales.gb@lutze.co.uk